

# **ABOUT US**

Our vision is to offer architectural excellence and this epitomises everything we do..

Aspex offers you the opportunity to add some simplicity to your construction project, as the ultimate source for timber doorsets, risers, architectural ironmongery and access control. Benefit from finding your complete doorset package from one supplier, Aspex, greatly reducing the risk of specification conflict and non-conformance.

Our experienced project consultants can help you make well-informed decisions about your project. Speak to our team about design choices, industry standard or bespoke options, estimating & scheduling, sampling, optimised delivery plans and maintenance tips and more.

Our aim is to support you from design, manufacturing and maintenance, not just supply doorsets.



# 2006

Aspex was founded on a long-established family historic success and dedication within the architectural ironmongery industry

# 2010

Introduced access control and integrated systems division. Aspex are Platinum Inspired Business Partners of Salto and work closely with many other manufacturers to secure premises

# 2012

Introduced supplying timber doorsets working closely with carefully selected door manufacturers

# 2016

Introduced Novista concealed doorsets, pocket sliding doors and steel and timber risers

# 2019

Introduced manufacturing of timber doorsets in-house, primarily residential doorsets

# 2023

Extended factory by 40,000sqft to increase capacity and to bring the production of technical door leaves in-house; manufactured for education, healthcare and commercial sectors

# COMMERCIAL

Offices, retail shopping centres, public transport, train stations, police stations

## **EDUCATION**

Primary and secondary schools, colleges, universities and student accommodations

# **HEALTHCARE**

Hospitals, GP health centres, opticians and dentist practices, mental health units

#### **PERFORMANCE**

Fire Rating - Ranging from FD30 up to FD120 in align with IFC Certification

PAS24:2016 Security Rated

Acoustic Rating up to 48dB Rw

Severe duty
Tested to BS EN 1192/DD171 classified as
grade 4 severe duty & tested to BS EN 1191

#### **DESIGN**

Full height doors up to 3m Over panels

#### **PERFORMANCE**

Fire Rating - Ranging from FD30 up to FD120 in align with IFC Certification

PAS24:2016 Security Rated

Acoustic Rating up to 40dB Rw

Severe duty
Tested to BS EN 1192/DD171 classified as grade 4
severe duty & tested to BS EN 1191

#### **FEATURES**

Safety and compliance guidance of Department for Education (DfE) Finger protection mechanisms

#### PERFORMANCE

Fire Rating - Ranging from FD30 up to FD120 in align with IFC Certification


PAS24:2016 Security Rated

Acoustic Rating up to 48dB Rw

Severe duty
Tested to BS EN 1192/DD171 classified as
grade 4 severe duty & tested to BS EN 1191

#### **FEATURES**

X Ray Doorsets Anti Bacterial Postformed doorsets









# CLASSROOMS, OFFICES, CONSULTING ROOMS

High-quality, durable doorsets available with vision panels and side screens to promote the transition of natural light into internal spaces.

#### PERFORMANCE

Fire Rating - Ranging from FD30 up to FD120 Fire rated and manufactured in accordance with the International Fire Consultants Third Party Certification scheme (IFCC)

### Acoustic Rating -

Rating up to 40dB Rw

#### Severe Duty -

Tested to BS EN 1192/DD171 classified as grade 4 severe duty & tested to EN 1191 BM Trada certified

#### **VISION PANELS**

Standard vision panel style details, DDA compliant to BS 8300:2009

- Single narrow vision panel
- Single wide vision panel
- Narrow split vision panels
- Wide split vision panels
- Fully glazed
- Privacy blinds

CONFIGURATIONS	FINISHES	
Single	Veneered	
Leaf & Half	Laminated	
Side Screen	PVC	
	Painted	

#### **ACCESS CONTROL**

Standalone access controlled (Salto recommended)







# **CIRCULATION & PUBLIC SPACES**

High performance, durable doorsets designed for high traffic circulation and communal areas

#### **PERFORMANCE**

Fire Rating - NFR or FD30/FD60S Fire rated and manufactured in accordance with the International Fire Consultants Third Party Certification scheme (IFCC)

The pre-hung factory doorset can meet the requirements for clear opening widths within approved Document M

#### Severe Duty -

Tested to BS EN 1192/DD171 classified as grade 4 severe duty & tested to EN 1191 BM Trada certified

#### DESIGN

- Standard
- Full height
- Vision panels
- Double action

CONFIGURATIONS	FINISHES	
Single	Veneered	
Double doors	Laminated	
Leaf & Half	PVC	
Side Screen	Painted	

#### **ACCESS CONTROL**

Network access controlled (Salto recommended)







# STORE ROOM & CUPBOARDS

Resilient doorsets designed for high-traffic circulation and public spaces with attention to finish for durability, suitable design options for convenience.

#### PERFORMANCE

Fire Rating - NFR or FD30/FD60S Fire rated and manufactured in accordance with the International Fire Consultants Third Party Certification scheme (IFCC)

#### **SPECIFICATION**

Manufactured with a solid core

- Door leaf constructed from a severe duty core tested to DD171, with hardwood lippings on all 4 sides
- Standard sizes or bespoke available

#### **DOOR FINISHES**

Veneered Laminated PVC

#### **ACCESS CONTROL**

Standalone access controlled (Salto recommended)







# **NOVISTA STEEL RISERS**

#### FRAME

Concealed/Picture frame design made from 1.2mm steel. 3 or 4 sided frame options

#### LEAF

Double skin 1.0mm Zintec Steel with glass wool insulated core. 48mm thick


#### **CONFIGURATIONS**

Single leaf, double leaf and up to six leaves within one frame


#### PERFORMANCE

Fire Rating - FD120(S)
Acoustic Rating - 41dB Rw (as standard)
Smoke/Air tested - To BS6375-1, BSEN1634-3
and to BSEN13501-2
Thermal Resistance - 1.43(m2K)/W

#### **POPULAR CONFIGURATIONS**



\*More options available





# INTU-FRAME OPTION

NOVISTA RISER STEEL

### **DRY-INTUMESCENT FRAME**

Factory-fitted to riser frames, the dry intumescent seal expands behind the frame to seal tolerance gaps up to 15mm in event of fire, taking the place of fire foam.

Fire rated to FD120

### **BI-DIRECTIONAL FIRE-TESTING**

In line with current construction trends, Novista Risers are tested from both directions of attack from fire when fitted with intu-frame protection option








# FLIP LOCK OPTION

NOVISTA RISER STEEL

## **CONCEALED LOCK**

Flip lock hides chosen lock mechanism behind a flush hinged pocket.

FD60 fire rated and bi-directionally tested









# **NOVISTA TIMBER RISERS**

#### FRAME

Concealed/Picture frame design made from 1.2mm steel. 3 or 4 sided frame options

#### LEAF

Solid core to suit application\*
FD30, up to 2500mm high and 800mm wide leaves\*FD60, up to 2420mm high and 850mm wide\*


#### **CONFIGURATIONS**


Single leaf & double leaf


#### **PERFORMANCE**

Fire Rating - FD30/60 Acoustic Rating - up to 35dB Rw Smoke/Air tested - To BS6375-1, BSEN1634-3 and to BSEN13501-2 Thermal Resistance - Consult technical dept.

#### **POPULAR CONFIGURATIONS**









# **ACOUSTIC DOORS**

This sound-proof door is supplied as a complete doorset. Ideal choice for areas requiring above average levels of sound insultation.

#### **SPECIFICATION**

- High Density GDC or solid timber laminated core
- Manufactured with a solid core, hardwood lipping on 4 sides. The door leaf is available either Laminated, Veneered, Factory Painted or Primed.
- 8mm hardwood lippings to all 4 sides. Lipping edge can match or contrast the face finish
- Overall thickness: 44mm (32dB), 54mm (35dB), 59mm (43dB), 84mm (48dB)
- Bespoke sizes -930mm max (w), 2330mm max (h)

#### PERFORMANCE

- Fire Rating NFR or up to FD120
- Acoustic Rating 30dB to 48dB
- Tested to BS EN 1192 / DD171 and classified as grade 4 severe duty
- Manufactured to ISO 9001 standards

DOOR FINISHES	CONFIGURATIONS
Veneered	Single, double, leaf & half
Laminated	and other choices
PVC	Vision panel options

#### **ACCESS CONTROL**

Standalone access controlled (Salto recommended)







# ACCESS CONTROL COMMUNAL

SMART SECURITY

#### **SPECIFICATION**

- Access control compatibility with various systems
- Overall thickness 54mm for NFR, FD30 and FD60
- Up to 35dB acoustic rated (with the correct seal arrangement)
- Tested to DD171 and classed as severe duty
- Choice of vision panel design options available

#### PERFORMANCE

- PAS24:2016 Security Rated (optional)
- Fire tested to BS 476 part 22
- All fire rated doorsets manufactured in align with IFC Certification scheme
- Doorsets meet requirements of Approved Doc M for clear opening widths

#### CONFIGURATION

• Single





# STEEL DOORS (INTERNAL & EXTERNAL)

Quality, secure and certified steel doorsets representing strength and durability, and security features available. Suitable for internal and external use, fits well with residential and commercial spaces.

#### **INTERNAL**

- FD60, FD120, FD240
- Single or double configurations
- · Panel options solid, glazed, lourved
- Custom-made in a choice of finishes
- Suitable for Masonry, Concrete and Flexible Stud wall

#### **EXTERNAL**

- General purpose external door
- Single or double configurations
- Variety of colours and finishes available
- Custom sizes available
- Hardware already fitted saving time & effort on site

#### **SECURITY**


- Intruder and blast security doors
- SECUR-DOR2: low to medium protection, suitable for residential
- SECUR-DOR3: medium protection suitable for residential to commercial
- SECUR-DOR4: medium to high protection

#### **ACCESS CONTROL**

Network access controlled (Salto recommended)










# **VISION PANELS**

MINIMUM ZONES OF VISIBILITY

Many fire doors within education, healthcare and commercial sectors will include at least one vision panel per door leaf. The position of each vision panel must fall within the guidelines highlighted below to ensure of inclusivity where all types of users can benefit from the vision panel.

To ensure your fire doors are compliant with Building Regulations Part M: Mobility, we have provided a few diagrams to support correct design and specification criteria.

Please use these in conjunction with the latest building regulation codes to comply with compliance and relevant standards.







# **VISION PANEL OPTIONS**


The vision panels shown are our most commonly used designs.

Alternative design options are available, subject to fire certification and minimum aperture margins.

Glazed bead dimensions and seal arrangements will vary depending on fire and acoustic certification.





In compliant with BS 8300 for wheelchair accessibility




Flush - Hardwood














VP-F












# CONFIGURATIONS


STANDARD CHOICES, BESPOKE AVAILABLE


#### SINGLE DOOR CONFIGURATIONS

### LEAF & HALF CONFIGURATIONS

#### DOUBLE DOOR CONFIGURATIONS







Multiple screen option available, please contact us for more details - info@aspex.co.uk.

# FRAME TYPES

A wide selection of different door frames can be supplied, manufactured from either MDF, softwood, hardwood, or steel, and each of these materials has its own unique advantages.

Standard lining, and stop or rebated frames, are available, cogether with specialist types for sports halls or finger protection choices.





FRAME TYPE TWO - REBATED



FRAME TYPE THREE -SPLIT WITH SEPARATE ARCHITRAVES



FRAME TYPE FOUR -REBATED WITH INTEGRATED ARCHITRAVES



FRAME TYPE FIVE - DOUBLE SWING





# POSTFORMED PVC DOORSETS

Postformed PVC doorsets are fully encapsulated with protective, specialist sheets enhancing the durability, better hygiene and ease of cleaning, and scratch-resistant. These doorsets are also antibacterial and suitable for 'wet room' areas.

#### **FEATURES**

- Specialistic protection for door frames
- Plastic layered protection maintains a clean safe environment
- Reduces maintenance costs by protecting the frame from damage
- Enhances durability of doorsets in bathrooms or leisure centre, protecting against the risk of swelling
- Optimises the safety of staff and patients in the event of a fire by maintaining fire integrity of the door allowing safe evacuation

#### PERFORMANCE

- Fire Rating NFR, FD30, FD60 in align with IFCC Certification scheme Class and 'O' Fire Rated; tested to BS 476 Parts 6 & 7
- Compatible with fire and acoustic performance

#### **DESIGN**

- Available in any colour
- Vision panel option
- X-ray and electromagnetic protection option (NFR only)
- Purpose-made to sizes











ANTI-LIGATURE MAX XL



High integrity glazing placed inside stainless steel frame, with tamper-proof screws, rounded corners and bevelled edge returns for optimal patient safety.



Secure, triple glazed system allows secure observation whilst maintaining the appearance of a contemporary Venetian style blind.



Specifically designed for long and narrow placements and incorporates all the benefits of the original Vista Max.

#### **GLAZING OPTIONS**

- Toughened Glass
- Laminated
- Fire Rated FD30 and FD60
- Acoustic

#### **HANDLE OPTIONS**

- Key locking
- Thumbturn

#### **SIZE OPTIONS**

- Available in square and oblong
- Standard Sizes are: 404mm X 404mm and 800mm X 250mm
- Bespoke size available:
   Width from 150mm to 1000mm;
   Height from 200mm to 1500mm

#### **GLAZING OPTIONS**

- Toughened Glass
- Laminated
- Fire Rated FD30 and FD60
- Acoustic
- Lead
- Laser\* (restrictions may apply)

#### **HANDLE OPTIONS**

- Lever handle
- Key locking
- Thumb turn

#### SIZE OPTIONS

- Standard Sizes are: 404mm X 404mm and 800mm X 250mm
- Bespoke size available\*:
   Width from 150mm to 1000mm;
   Height from 200mm to 1500mm

#### **GLAZING OPTIONS**

- Toughened Glass
- Laminated
- Fire Rated FD30
- Acoustic
- Lead
- Laser\* (Restrictions may apply)

#### **HANDLE OPTIONS**

- Lever handle
- Key locking
- Thumb turn

#### SIZE OPTIONS

 Bespoke size available: Width from 175mm to 500mm; Height from 1100mm to 1500mm



### **LEAD & LASER PROTECTION**

### **BLACKOUT**



Hand-crafted vision panels with either lead glass or with a laser polymer shield, suitable for X-ray and radiotherapy spaces.



Viewing aspect remains the same while the panel is open but when closed, 97-98% light is filtered out, ideal for patient bedrooms, laboratories etc.



Blackout with colour options to match your interior. Working with standard RAL colours allows a good colour match to be achieved



Blackout in matching texture: Provide a veneer/wood texture laminate sample which can be scanned & printed onto the glass to match

#### **GLAZING OPTIONS**

- Toughened Glass
- Laminated
- Fire Rated FD30 and FD60
- Acoustic
- Lead
- Laser\* (restrictions may apply)

#### **SIZE OPTIONS**

 Standard Sizes are: 404mm X 404mm and 800mm X 250mm
 Bespoke size available\*: Width from 150mm to 1000mm;
 Height from 200mm to 1500mm

#### **CODE GLASS**

For X-ray and radiotherapy spaces, Code 4 lead glass (2.1mm L/E @ 150Kv) is a standard, and code 4 - 8 available too.

#### **GLAZING OPTIONS**

- Toughened Glass
- Laminated
- Fire Rated FD30 and FD60
- Acoustic
- Lead
- Laser\* (restrictions may apply)

#### HANDLE OPTIONS

- Lever handle
- Key locking
- Thumb turn

#### **SIZE OPTIONS**

- Standard Sizes are: 404mm X 404mm and 800mm X 250mm
- Bespoke size available\*:
   Width from 150mm to 1000mm;
   Height from 200mm to 1500mm



**FLUSH VISTA-ART** 



Vision panels are often required in areas where the potential spread of bacteria is a threat. The Vista Flush is an ideal solution as the panel has no beading and fits smoothly within a door. It eliminates rebates and crevices, providing an easyto-clean surface area with no protrusions.

#### **GLAZING OPTIONS**

- Toughened Glass
- Laminated
- Fire Rated FD30 and FD60
- Acoustic
- Lead
- Laser\* (restrictions may apply)

#### **HANDLE OPTIONS**

- Lever handle
- Key locking
- Thumb turn

#### **SIZE OPTIONS**

- Standard Sizes are: 404mm X 404mm and 800mm X 250mm
- Bespoke size available\*: Width from 140mm to 400mm; Height from 200mm to 800mm







With VistaArt vision panels, any type of custom graphics can be printed to the panel from calming to colourful designs, logos or graphics. In facilities treating mental health, and dementia patients in particular, it assists them therapeutically due to the calming nature of art.

#### **GLAZING OPTIONS**

- Toughened Glass
- Laminated
- Fire Rated FD30 and FD60
- Acoustic
- Lead
- Laser\* (restrictions may apply)

#### **HANDLE OPTIONS**

- Lever handle
- Key locking
- Thumb turn

#### SIZE OPTIONS

- Standard Sizes are: 404mm X 404mm and 800mm X 250mm
- Bespoke size available\*: Width from 150mm to 1000mm; Height from 200mm to 1500mm



### **INTEGRAL BLINDS**

#### SLIDE



Provide large-scale observation as well as privacy and shading. Hermetically sealed between two panels of glass, makes it easy to maintain as fully-sealed unit protects from moisture, dust, dirt and odours.

Cordless with the ability to have dual control, suitable for doors, screens, sidelights. partitions etc.

Available in both magnetic and motorised operation.

#### **GLAZING OPTIONS**

Range of glazing options including fire-rated and noise reduction available

#### **SIZE OPTIONS**

• Bespoke size available: 2500mm high x 2000mm wide



Vista Slide is perfect for doors where greater observation is needed as well as walls/partitions to monitor corridor

#### **GLAZING OPTIONS**

- Toughened Glass
- Laminated
- Fire Rated FD30 and FD60
- Acoustic
- Lead
- Laser

#### HANDLE OPTIONS

- Lever handle
- Key locking
- Thumb turn

#### SIZE OPTIONS

Bespoke size available: Width up to 1500mm; Height up to 1200mm



## **HANDLE CONFIGURATIONS**

4mm square drive lock is standard, unless advised otherwise.
















# **DESIGN FEATURES**

#### **BI-FOLDING**

Bi-folding doors can be sliding or folding to enhance functionality and access, ideal solutions when space is limited. This innovative two-leaf interconnected door solution reduces door swing area while maximising clear opening widths, in align with Approved Document M and BS 8300:2001.

Bi-folding doors are recommended for outward opening WC doors, door openings onto landings, lobbies with space required for wheelchair access, sanitary accommodation doors opening outward onto circulation spaces etc.

These smart bi-folding door solutions can be NFR or FD30 in align with IFC certification and BS476 Part 22 1987, and they are fire and smoke resistance.

#### **DOUBLE-ACTION**

Double-action doors, also known as doubleswinging doors, are practical door solutions that can swing in both directions enhancing convenience.

These solutions are most commonly used in hospitals, healthcare clinics, where the door must open in both directions in the case of emergencies allowing staff and patients fast, smooth movement.

For example, if someone is in distress and locked in a room then the door cannot open inwards because it is blocked, these doors can be opened outward too allowing assistance and care to be provided to the person. Also, an ideal solution for disabled toilet doors that need to be able to open inwards and outwards.

#### FINGER PROTECTION

Safehinge is a smart, protective finger safe protection solution preventing crushing and shearing of fingers (suited for both adults and children).

The system's sleek design integrates perfectly with the door and frame making it the most unobtrusive finger protection system available. The aluminium profile that fits onto the edge of the door has an integral pivot and top centre for single or double action doors. If the doors are required to self-close, a standard overhead door closer can be used on single swing doors and a floor spring or transom closer on double swing doors.

This solution is suitable for single or double action doors, fire tested with FD30 or FD60 doors with acoustic rating up to 38dB (glazed doors) They are fully compliant with Approved Documents and can be incorporated into all design applications, in align with severe duty DD171.







# PVC choices

Choose impact-resistant, highly hygienic PVC surfaces ideal for clean rooms, washrooms and laboratories.

Other colours may be available to suit RAL codes, please contact us for more information.

Request for more choices - sales@aspex.co.uk

#### GREYS/BLACK

SNOW WHI NEAREST R LRV 73.85	TE TEXTURED AL 9001

PALE GREY TEXTURED NEAREST RAL 7044 LRV 51.38 STORM GREY TEXTURED NEAREST RAL 7037 LRV 21.66 BLACK SMOOTH NEAREST RAL 9011

#### LIGHT SHADES

NEA	RY TEXT REST R 73.85		

PASTEL GREEN SMOOTH LRV 70

### BRIGHT SHADES

RED SMOOTH LRV 3	
	UE TEXTURED
NEAREST RA LRV 8.25	L 5003

PINK SMOOTH LRV 13

PURPLE SMOOTH LRV 9

ORANGE SMOOTH LRV 26

PASTEL BLUE SMOOTH LRV 52 AVOCADO SMOOTH LRV 34

PALE BLUE TEXTURED NEAREST RAL 5024 LRV 31.03 PALE GREEN TEXTURED NEAREST RAL 6034 LRV 37.32 POSEIDON BLUE TEXTURED NEAREST RAL 5012 LRV 27.13


# VENEER choices

Choose luxurious veneers finishes - from natural, dyed, smoked and reconstituted finishes.

\*Not exhaustive list

Request for more choices - sales@aspex.co.uk

#### NATURAL VENEERS









#### DYED/SMOKED VENEERS









#### **ENGINEERED VENEERS**
















Engineered Grey Oak ASP-DF3801Q

# LAMINATE choices


Choose beautiful laminate finishes to enhance your interiors. Working with Egger & Formica to offer you high-quality laminates.

\*Not exhaustive list

Request for more choices - sales@aspex.co.uk

#### **ESSENTIALS - STANDARD**





#### **ESSENTIALS - EXTENDED**





# RAL choices

Choose any RAL colour to closely match your doorset to RAL 9005 RAL 9004 RAL 9010 RAL 9016 complement your interior design. Bespoke colour options available \*Not exhaustive list **BROWNS** Request for more choices - sales@aspex.co.uk RAL 8028 RAL 8025

**BLACKS** 

**BLUES** 

RAL 5004 **RAL 5008** 

**REDS** 

RAL 3007 RAL 3009

RAL 8017 RAL 8000

**GREYS** 

RAL 7043 RAL 7024 RAL 7005

**RAL 9023** 

**GREENS** 

RAL 6022 RAL 6012

RAL 6028

RAL 6013

# STYLE INSPIRATION

# **DESIGNS**

C1 Single Door, Flush



C2 Single Door, VP-D



C3 Single Door, VP-B Split Vision



C4 Single Door with Screen



C5 Leaf & Half, Flush



C6 Double Doors, Flush



C7 Double Doors, VP-D



C8 Double Doors, VP-B Split Vision



C9 Leaf & Half, VP-D





# **IRONMONGERY**

#### **PURPOSE-LED RANGE**

Ultimate solution of architectural ironmongery from...

- ✓ Lever handles
- ✓ Pull handles
- ✓ Escutcheons
- ✓ Turns and releases
- ✓ Hinges
- ✓ Signage
- ✓ Locks & cylinders
- ✓ Door closers
- ✓ Panic Hardware
- ✓ Miscellaneous

#### Range of finishes...

- ✓ Satin stainless steel
- ✓ Polished stainless steel
- ✓ Aluminium
- ✓ Nylon
- ✓ Black
- ✓ Bronze
- ✓ Brass

#### In align with relevant standards...

- CE Marked
- BS 8300
- BS EN
- Certifire







### **HEALTHCARE**

High-performance, durable and smart ironmongery available in suitable finishes including stainless steel, aluminium, nylon.

Washroom and WC fittings designed for disabled users include stainless steel, nylon and aluminium powder coating.

# **EDUCATION**

Resilient, quality and innovative ironmongery with finger protection, anti-bacterial and sophisticated features. Most suited stainless steel, aluminium, nylon finishes available. Robust nylon helps add pop of colour and does not chip or flake off. Braille and tactile signage available too.

# COMMERCIAL

Quality, functional ironmongery with attractive aesthetics available in a variety of finishes from stainless steel to black, in adherence to relevant standards.

# **ACCESS CONTROL** SMART, INNOVATIVE SOLUTIONS

Aspex are a proud Platinum Inspired Business Partner of Salto offering seamless, relevant and efficient solutions.

As a dedicated solution provider, we offer the complete package from - supply, installation and maintenance support.

We work a range of leading manufacturers...















#### **ESCUTCHEONS**

XS4 One Escutcheons need no hard-wiring, battery-operated. All-in-one smart lock designed to fit on any door type & retrofits.



### WALL READERS

Smart wall readers integrate with any type of access control application - doors, barriers, lifts, electronic gates etc.



### **TURNSTILES**

Manage crowd-control, prevent tailgating with smart turnstiles. Integrated with building access control system



## **AUTOMATED DOORS**

Control of automated doors integrated with access control, fire alarm systems and supporting disability access



#### PANIC EXIT BARS

Highest safety standards with ease of use. EN1125 compliant in combination with Salto XS4 electronic escutcheon



### **CAR PARK BARRIERS**

Seamless integration with existing management systems. ANPR car park barrier, intercom features, keyless access possible



Let's work on specifications together, find us on...





## FREE SAMPLES

Request for door leaf samples & ironmongery sample board to see how well we can match your project requirements.

Simply email sales@aspex.co.uk

## **GET IN TOUCH**

www.aspex.co.uk | info@aspex.co.uk England office: 0116 278 3506 Scotland office: 01236 720061

