


Door Closer



44003 electromagnetic free swing guide rail door closer

- Door will function the same way as a door without a closer until fire alarm is activated, when it will self close
- Selectable hold open angle between 80 & 120 degrees
- Exact hold open can be achieved with no fall back or creep
- Power supplied to the arm so a power loop is not required
- Force required to manually pull the door off the hold open mechanism can be adjusted
- Adjustable power size EN 2-4
- Non-projecting arm prevents vandalism
- Complies with the requirements of BS 8300 & Approved Document M (please consult our technical department for more information)
- Available in satin or polished stainless steel & silver enamel with matching arm
- · Suitable for interior 1100mm wide

Technical Data

Fire Test Certificate:

Certifire approved

Certification:

Tested to EN1155 Classification 4.8.5/2 or 7/5.1.1.3

Maintenance

To be carried out by approved specialists only. A door stop must be fitted to limit the opening of the door. Regularly check the assembly for tolerance and undue wear. Tighten any screws or bolts that may become loose and adjust the closer if necessary. Annually grease the moving parts and check the operation of the doors adjusting if necessary. Repair works or any replacements have to be executed by the manufacturer or specialists authorised by the manufacturer.

If for any reason the products fail due to a defect in manufacture, contact us and we will advise you of the replacement procedure.

Aspex UK Limited

Unit E, Winchester Avenue, Blaby, Leicester, LE8 4GZ T: 0116 278 3506 F: 0116 278 4069 E: sales@aspexiuk.co.uk

As pex Scotland

39 Deerdykes View, Westfield, Cumbernauld, G68 9HN T: 01236 720061 F: 01236 780170 E: scotland@aspex-uk.co.uk