





novista doorsets

The name Novista is derived from the Italian for No Vista or No View and this perfectly describes this door system with a hidden frame which allows the door to blend into the wall with no unsightly architraves.

The Novista Doorset system has an aluminium frame that is completely invisible when the door is in the closed position and the frame can be mounted into a block or stud wall that is either single or double boarded.

Options are available for single and double doors opening both inwards and outwards with the door leaf mounted flush with the wall in both instances. The door leaf is hung on concealed hinges and a magnetic latch is used which means that there are no hinge knuckles or strike plates protruding from the frame.

A flush skirting system is also available and this can be

integrated with both the inward and outward opening door frames.

The Novista Doorsets have been fire tested to FD30 for a single inward opening door and both a single and double outward opening door.

The Novista Doorset frame is supplied with a mesh that connects onto the frame and this is covered using either plaster skim or filler and prevents cracks from forming.





TUT & TUS

hidden frame doorset

The TUT and TUS doorset systems both have a frame that is embedded into the wall with the reveal plastered and this becomes invisible when the door is closed.

The TUT doorset system is generally used on the majority of doors that either open into or out of a room. The TUS system however can be used if there is a requirement for a door opening into a room to have the leaf flush with the outside wall.

Single or double configurations are available for both the TUT and TUS doorset systems either non fire rated or FD30.

The Novista doorsets are supplied as a complete doorset including 44mm solid core door leaf which is available either 2040mm, 2400mm or 2700mm high and 726mm, 826mm or 926mm wide with bespoke sizes also available to order.

The door leaf is hung on concealed hinges which have three way adjustments and this enables a consistent gap to be achieved between the leaf and the frame.

The door is secured closed using a magnetic latch, bathroom lock or euro profile lock and these will work in conjunction with any of our lever handle sets which are available in a wide range of finishes.

The frame incorporates a compression seal which as well as stopping smoke and noise also allows the door leaf to close quietly and latch tightly into the frame.



Door leaf

The door leaves are available with solid core for heavy duty applications or where they are required to be fire rated and have a hardwood lipping. A medium duty semi solid core which is non fire rated is also available and this has the same appearance as the solid core but weighs less and is therefore easier to handle on site.

The door leaf for the TUT doorset system are supplied with square edge on all four sides and the door leaf for the TUS frame has a rebated edge on the two vertical edges and the top.

The door leaves are supplied pre-machined for the concealed hinges and locks and are available in a variety of finishes.

Finishes


The door leaf is available in a range of attractive finishes including real wood veneers, laminate, primed or pre-finished

Veneered options include:


- Crown or quarter cut
- Grooves or horizontal metal strips
- Horizontal or vertical
- Vision panel or fully glazed
- Inlays

Laminated door leaves are available in a wide variety of colours or timber laminate patterns and these can be supplied with concealed or exposed lippings.

The primed doors leaves can be painted on site and the pre-finished ones are available factory painted to any RAL colour.



TUT Frame - for double or single boarded walls



TUS Frame - for double or single boarded walls



TUT Frame with mesh

A unique snap in plastering mesh which clips onto the frame is supplied with both the TUT and the TUS frames and this ensures that no cracks appear between the wall and the frame.






TFN & TL shadow gap profiles



When a shadow gap around the door frame is required both the TFN or TL profiles can be supplied with our doorsets and these eliminate the need for architraves.

The profiles have a unique snap in plastering mesh which is covered using either plaster skim or filler and this ensures that no cracks appear between the wall and the frame.

The size of the shadow gap can be varied between 3 and 15mm using different thickness of frame packers and the system is suitable for single or double boarded walls.



TFN shadow gap profile



TL shadow gap profile




Flush skirting system


The flush skirting system compliments the Novista Doorsets and is available with connectors allowing it to be integrated with both the TUT and TUS door frames.

The profile is suitable for a 60x8mm skirting board however this can be raised if a higher one is required and this can be installed onto either stud or block walls.


A range of connectors are available for both internal and external corners and also for stairs.




Connectors




Inner corner connector




Outer corner connector



Straight connector



Steps connector



aspex

ASPEX UK

The Whittle Estate
Cambridge Road.
Whetstone
Leicestershire,
LE8 6LH

T: 0116 278 3506

F: 0116 278 4069

ASPEX SCOTLAND

39 Deerdykes View
Westfield,
Cumbernauld
G68 9HN

T: 01236 720061

F: 01236 780170

W: aspex-uk.co.uk

E: novista@aspex-uk.co.uk